

**THIS PAGE IS INSERTED BY OIPE SCANNING
AND IS NOT PART OF THE OFFICIAL RECORD**

Best Available Images

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

BLACK BORDERS

TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

BLURRY OR ILLEGIBLE TEXT

SKEWED/SLANTED IMAGES




COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE

VERY DARK BLACK AND WHITE PHOTOS

UNDECIPHERABLE GRAY SCALE DOCUMENTS

**IMAGES ARE THE BEST AVAILABLE
COPY. AS RESCANNING *WILL NOT*
CORRECT IMAGES, PLEASE DO NOT
REPORT THE IMAGES TO THE
PROBLEM IMAGE BOX.**

Figure 1: Flow cytometric analysis of control cells



1/8

2/8




Figure 2

3/8




Figure 3

4/8





Figure 4

5/8

Flow Cytometric Analysis of EPCAM FF Selected Cells from Blood
Threshold on forward light scatter & gate excluding fluorescent negative events.

Unspiked 2 ml Blood Sample



Spiked 2 ml Blood Sample




Figure 5

6/8






Figure 6

7/8


b.



a.



c.



d.

File: mh020400.017 Acquisition Date: 9-Feb-0
Gated Events: 5400 Total Events: 6945


Gate	Events	% Gated	% Total
tumor	1644	30.44	23.67
possible tumor	82	1.52	1.18
control cells	2042	37.81	29.40
leukocytes	1632	30.22	23.50
cells	5400	100.00	77.75

Figure 7

8/8

Figure 8

A) High Controls:



B) Low Controls:

